Monthly, Annual, and Mean Snowfall in Inches at Marlinton. S.L. Brown, Observer.

(3)

Year	Jan	Feb	Mar	Apr	May	Oct	No v	Dec	Annua
1893								1	
1893	M	18.5	1.0		• • • • •	• • • • • •	. 2. 5	3.0	
1894	6.0	18.0	1.0	T.			. 5.0	M	
1895	M	8.0	10.5	1.0.			0.5	9.8	
1896	1 .1	3.1	14.2	1.5.			3.0	2.0	24.9
1897	10.0	13.5	6.0	T			1.0	4.0	34.5
1898	9.0	3.0	6.0	2.5			3.5	11.	7 35.7
1899	4.0	27.5	3.0	T			T	8.0	42.5
1900	T	7.0	21.0	T	• • • • •		1.5	2.5	32.0
1901	9.3	1.5	0.5				. м	M	
19.2	M	M	М	M		1.0	1.5	11.0	
1903	М	М	M	M	T		3.0	12.0	
1904	10.5	10.5	М	T	T	•••••	М	М	
1905	M	M	T	1.0	••••		. м	M	
1906	M	3.5	26.5	••••	•••••		. M	м.	
1907	М	М	M				М	м.	
1908	М	32.0	M	М	• • • • • •	т.	7.0	20.0	
1809	16	М	М	_ м			м	M	
1910	5.0	9.0	4.0			т	. т	15.0	33.0
1911	9.0	3.5	6.5				.0.2		20.7
	11/5		5.5					.0	31.0
	4.0		T	.0			3.0		
		20.0	15.5						
	19.0		6.0	0.5	-	T	2.0		34.5
1916	10.5	6.5	7.0	10.0					
1917	6.5	6.0	2.5	T		3.0	m	10	38.0

Monthly, Annual, and Mean Snowfall in Inches at Marlinton. S.L. Brown, Observer.

(3)

Year	Jan	Feb	Mar	Apr	May	Oct	No v	Dec	Annual
1893								1 12	
1893	M	18.5	1.0	• • • •		• • • • • •	.2.5	3.0	
1894	6.0	18.0	1.0	T.			. 5.0	M	
1895	М	8.0	10.5	1.0.			0.5	9.8	
1896	1.1	3.1	14.2	1.5.			3.0	2.0	24.9
1897	10.0	13.5	6.0	T			1.0	4.0	34.5
1898	9.0	3.0	6.0	2.5			3.5	11.	7 35.7
1899	4.0	27.5	3.0	T	• • • • •		Т	8.0	42.5
1900	T	7.0	21.0	T			1.5	2.5	32.0
1901	9.3	1.5	0.5				. м	М	
19.2	M	М	М	М	•••••	1.0	1.5	11.0	
1903	M	М	М	М	T		3.0	12.0	
1904	10.5	10.5	М	I	T	•••••	М	М	
1905	М	M	T	1.0			. M	M	
1906	M	3.5	26.5	••••	• • • • • •		. M	м.	
1907	M	М	М		••••		М	м.	
1908	M	32.0	M	м	• • • • • •	.т	7.0	20.0	
1909	14	м	М	м.,			M	M	
1910	5.0	9.0	4.0 .			т	. т	15.0	33.0
1911	9.0	3.5	6.5				.0.2		20.7
	11/5		5.5					.0	31.0
	4.0		T 1				2 0		11.5
1914	14.6	20.0	15.5				M		
1915	19.0	T	6.0	0.5		m	2.0	-	
1916	10.5	6.5	7.0	10.0				42	34.5
1917	6.5	6.0	2.5	Т		3,0	. т	-18	38.0

Year	Jan	Feb	Mar	Apr	May	Oct	No_v_	_Dec	Annua	
1918	31.0	5.0	T	8.5	• • •		T	1.5	46.0	
1919	8.5	7.5	T	T			0.5	6.5	4.55	
1920	1.0	5.0	0.5	2.0			М.	2.5		
1921	9.0	10.0	Т	Т		T	T	5.5	24.5	
1922	15.0	16.0	1.5	T	••••	. T	0.5	1.0	34.0	
1923	9.5	9.0	2.0	0	1.5	••••	T	1.0	23.0	
1924	2.0	9.0	3.5	2.0			5.0	T	21.5	
2925	23.5	T	6.0	T		13.0	T	T	42.5	
1926	1155	9.5	16.5.	6.0	• • • •	т	T	1.5.	45.0	
1927	4.5	7.0	1.0	0.5	••••	• • • •	2.0	1.0	16.0	
Means	955	9.2	5.8	1.2	T	0.6	1.6	6.3	31.5	

indicates trace. an smount less thon. 0.0/

Not snowfall recorded in June, July, August, September, 1893-1927.

Annua	_Dec	_No_v_	Oct	May	Apr	Mar	Feb	Jan	Year
46.0	1.5	T		•••	8.5	T	5.0	31.0	1918
23.0	6.5	0.5		• • • • •	T	T	7.5	8.5	1919
M	2.5	М.			2.0	0.5	5.0	1.0	1920
24.5	5.5	T	T	• • • • •	T	T	10.	9.0	1921
34.0	1.0	0.5	T	• • • • •	T	1.5	16.0	15.0	1922
23.0	1.0	T	••••	1.5	0	2.0	9.0	9.5	1923
21.5	T	5.0	•••••		2.0	3.5	9.0	2.0	1924
42.5	T	T	13.0		T	6.0	T	23.5	925
45.0	1.5.	T	T		6.0	16.5.	9.5	1155	1926
16.0	1.0	2.0	••••	••••	0.5	1.0	7.0	4.5	1927
31.5	6.3	1.6	0.6	T	1.2	5.8	9.2	955	leans

indicates trace. an omount less thon. 0.0/

Not snowfall recorded in June, July, August, September, 1893-1927.

S .L . Brown Observer Year Jan Feb Mar Apr May June July Aug Sept Oct Nov Dec Annual 1893 5 . 49 1.72 2.91 4.47 5.80 5.32 1.99 1.91..... 1894 1.81 3.39 1.84 2.06 ... 2.69 1.84 1896 1.45 5.26 6.99 1.82 3.74 7.71 7.80 3.28 488 1.22 4.93 1.08 45.76 1897 2.17 5.88 5.21 2.85 7.06 5.59 5.65 2.74 0.80 0.95 4.08 4.64 47.62 1898 5.61 1.47 5.23 4.32 5.27 7.50 6.76 9.15 3.33 4.54 3.85 3.71 60.70 1899 3.26 5.23 6.28 1.60 7.68 1.92 2.95 3.43 4.01 1.56 0.83 3.09 41.93 1900 1.99 5.22 4.99 2.25 2.80 5.32 5.69 2.42 2.57 1.90 7.11 2.99 45.18 1901 5.98 0.97 3.06 6.13 5.11 8.77 8.59 8.03 1902..... 3.69 1903 4.04 1.79 4.55 2.88 3.30 1.83 1.52 0.93 2.44 ... 1904 4.11 3.10 1.12 3.43 2.98 1905 3.27 2.05 3.91 7.57 8.25 2.60 1906 1907 1909 1.59 3.31 1.90 3.34 1910 4.32 2.75 0.59 2.50 2.67 7.38 7.09 5.58 3.56 2.03 1.14 3.63 48.23 1911 7.21 2.23 4.77 4.48 1.35 1.97 2.07 6.54 3.61 5.96 3.66 3.55 47.40 1912 2.46 2.80 6.12 3.17 4.52 3.45 2.67 1.88 4.56 1.53 2.18 4.20 3954 1913 4.42 2.70 5.80 3.75 5.20 2.85 4.70 3.74 2.02 5.43 3.05 2.75 46.41 1914 2.51 3.19 3:58- 4,58 1.54 2.37 3.73 5.22 1.75 3.70 1.10 5.30 37.53 1915 7.42 4.16 1.33 1.86 3.34 4.46 3.90 4.20 4.10 4.47 2.82 4.18 46.24 1916 4.09 3.51 4.48 3.10 3.72 5.32 7.17 4.78 4.31 1.90 1.75 3.38 47.88


1927 4.63 3.62 9.40 2.70 4.09 2.23 7.22 2.07 3.30 3.29 0.94 2.11 45.67 continued on the other spece,

Monthly and Annual Precipitation In Inches at Arbovale. from 1924 to August 1940 no days missing. H.S.Sutton Observer.

Annus	Dec	No v	Oct	Sept	Aug	July	June	May	Apr	Mar	Feb	Jan	Year
37.37	1.24	3.36	4.78	3.14	1.23	6.67	2.68	2.83	2.05	3.16	1.64	1.63	1925
42.36	4.76	3.16	4.23	3.00	6.85	6.49	2.39	2.84	. 48	2.09	2.50	2.97	1926
41.94	3.57	3.05	3.72	1.15	5.72	4.31	3.72	1.69	6.58	1.43	4.96	2.04	1927
39.05	1.54	3.43	1.53	3.18	4.73	5.01	7.15	1.59	3.50	2.36	1.81	2.22	1928
36.29	1.08	3.95	6.05	0. 73	2. 44	2.30	3.80	6.79	3.30	2.79	0.97	3.09	1929
19.62	2.43	1.63	0.50	1.36	1.95	1.48	2.72	1.09	1.96	2.00	1.74	0.76	1930
35.38	2.89	1.39	1.11	2.91	7.08	4.88	3. 20	4.21	2.02	2.73	1.99	0.97	1931
41.03	1.86	3.62	4.17	1.34	2.31	6.41	3.63	3.64	1.80	4.10	4.42	3.73	1932
39.41	2.26	0.95	1,41	1.59	3.67	7.47	2.52	5.25	4.05	3.92	3.23	3.09	1933
31.64	2.08	4.65	1.23	5.11	3.37	2.10	2.83	2.40	2.00	3.15	0.00	2.06	1934
46.92	1.15	3.35	130	3.86	6.58	6.55	5.76	5. 68	2.52	5.74	1.75	2.68	1935
32.85	3.92	1.02	3.78	2.84	2.32	4.83	3.50	2.29	1.55	3.30	1.23	2.17	1936
37.23	0.43	.1.03	7. 852	2.28	4.00	4. 40	2.90	2.58	3.08	0.69	1.69	6.32	1937
32.74	0.65	3.93	0.65	5.48	1.93	2.28	5.10	5. 41	1.78	2.28	2.08	0.89	1938
39.74	1.37	0.16	2.31	1.93	1.96	9.48	4.70	2.94	3.89	3.33	5.61	2.70	1939
3123					4.37	5.11	7.82	5.04	3.48	2.90	1.72	0.79	1940

Monthly and Annual Snowfall in inches at Arbovale from 1924 to April 1940 no days missing. H.S.Sutton Observer.

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	No v	Dec	Annua
1925	22.0	T	T	T	T					T	T	2.0	24.00
1926	12.50	15.00	13.00	12.5	io						1.00		54.0
1927	6.00	6.00		1.50					•••••	5.00	1.50		20.
1928	2.00	5.50	15.50	18.00						т	11.00	3.00	55.0
1929	5.00	15.00	6.00	1.50							5.50	11.00	44.0
1930	8.00	3.00	T	3.50	• • • •					2.00	5.50	11.50	33.5
1931	5.50	0.50	19.00	14.50	T					T	T	ē. 75	44.25
1932	1.00	4.50	9.00	1.25						0.50	0.25		16.50
1933	5.00	2.50	5.00	0.25							9.50	9.00	30.25
1934	2.00	17.0	11.00	2.00						. Т	1.00	8.50	41.50
1935	18.5	60 4.0	3.00	4.00							. 4.00	26.00	59.50
1936	8.00	1625	23300	2.55			• • • • • •				2.50	11.00	63.50
1937	2.50	10.5	0 8.00	1.00						1.50	2.50	15.50	41.50
193	8 4.50	7.00	1.50	1.50			•••••	•••••		•••	10.00	7.00	31.50
193	9 27.0	0 2.50	0.50	1.00	• • • •					1.00	9.50	7.50	49.20
194	0 15.5	0 8.50	2.00	2.00	• • •			. Aug.					



Annual and Monthly Temperature in Degrees showing the Maximum, and Minimum per month, during the year, No dates missing from 1925 to 1940
taken at Arbovale by H.S. Sutton Cooperative Observer

1925 M3 1926 1 1927 1 1928 1	Minimum Maximum inimum Max- Min - Max- Min- Max- Min-	Jan 46 -16 51 08 56	56 8 57 2 64	62 04 60 90	Apr 82 20 72 17	80 May	33 42 81	82 40 89	83 34 90	88 42 82	66 20 80	56 15 61	53 04 48
1925 M: 1926 1 1927 1 1928 1	inimum Max- Min - Max- Min- Max-	-16 51 08 56	57 2	60	72	26 80	42						48
1926 1 1927 1 1928 1 1929 1	Max- Min- Max- Min- Max-	51 08 56	57 2	60	72	80	81	89	90 1	82	80	PT	
1926 1 1927 1 1928 1 1929 1	Min - Max- Min- Max-	08 56	2									30	6
19 <u>27 1</u> 1928 1	Max- Min- Max-	56		1 7 2	11	29	36	38	47	44	20	10	58
19 <u>27 1</u> 1928 1	Min- Max-		DA.	72	77	86	81	82	78	82	84	68	6
1928	Max-		20	12	18	28	36	38	41	29	24		50
1928	200,000			66	68	76	80	86	86	75	76	58	
1929		56	51 8	8	16	24	28	42	52	27	12	8	4
1929	Min-	04		74	74	77	80	82	78	83	66	64	54
	Max-	57	48	100000000000000000000000000000000000000	21	27	30	34	36	26	22	06	08
	MIn-	04	04	0		80	88	98	100	87	73	65	50
1.0	Man-	56	62	58	77	28	28	38	32	33	6	4	-18
1930	Max-	-9	-16	2	22	86	92	95	90	86	72	66	58
	Max-	50	48	59	73		34	48	38	32	22	14	08
1931	Min-	-13	10	14	26	28	80	82	82	92	65	56	58
	Max-	66	70	60	70	78		40	42	24	18	0	8
	Hin-	14	10	-2	16	29	31	83	76	83	72	72	58
	Max-	54	52	56	68	76	82		39	42	15	-8	-4
	Man-	-1		01.	17	33	30	34		82	76	58	48
	Max-	52	47	58	70	84	86	92	83	28	18	10	-2
CORNER DE 1/2	Min-	10	-25	-2	16	32	38	46	39		72	67	44
	Max-	58	50	64	72	73	77	78	80	74		04	-12
	Min-	-18	01	12	12	28	36	53	39	26	17	66	44
	Max-	40	54	62	70	82 82	82	88	90	90	70	4	
and the same of th	Min-	-16	-7	15	12	26	32	40	40	28	16	07	0
		54	64	58	74	80	84	82	85	80	74	62	48
	Max-	14	04	1	18	26	42	38	46	26	16	04	-5
	Min-	48	55	74	76	86	76	78	847	6 76	81	66	46
	iax-		06	12	18	28	32	44	38	38	16	-16	-9
1938		02		68	80	82	95	86	90	86	76	62	54
	lax-	53	61	1 1 1 1 1 1 1 1 1 1	3	18	40	36	42	30	13	8	0
1939 1		-10	02	-2	12		84		80	1 - 50	1-3		T
	11'n-	46	40	64	72	82		96					
1940 1	lax-	-17	-3	03	10	18	30	33	42				+

The highest elevation of ridges or Knobs in Pocahontas County are as follows, as shown by the Geological Survey of Pocahontas County.

Bald Knob..... Mountain. Thorny Flat,..... 4839 feet, at junction of Cheat and Back Alleheny Spruce Knob, 4710 feet On Red Lick Moubain in Edray Dis-t Mace Knob, 4705 feet South-East of Mace Big Spruce Knob, 4695 feet In William River ·section Fleber Ridge 4602ffeet Spur from main Allegheny Brier Knob 4518 feet South-west of Hills Creek Remshorn..... 4450 feet Spur from main Allegheny Paddy Knob 4494 feet On Allegheny South of Frost. Summit School...... 4335 feet On Allegheny mountain on State line Smoke Camp Knob 4218 feet On Fork Mountain East of Thornwood. Tamrack Ridge 4400 feet On Allegheny Mountain , onState line Gibson Knob 4415 feet South east end of Slaty Fork ridge. Guinn Ridge. 4250 feet Head of Galfords creek . Mad Tom . On Allegheny ... 4050 feet East of Minnahaha Red lick Wountain 4690 feet West of Old Field Fork of Elk of Elk. Buffels Ridge 4400 feet North of North Fork of Deer Creek. Ewage Wauntain 4430 feet Northwest of Buckeye ... 4600 feet Western Edra Disrict . Yew Hountains Tes Creek Mountain 4650 feet Southwest of Slaty fork.

1st